MMM MMM MMM MMMMMM MMMMMM MMMMMM	MMM MMM MMM MMMMMM MMMMMM MMMMMMMMMMMM	AAAAAAAAA AAAAAAAAA AAA AAA AAA	NNN NNNN N	NN AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	GGGGGGGGGGG GGGGGGGGGGG GGGGGGGGGGGGG GGG GGG	EEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE
	MMM MMM	AAA AAA		NN AAA AAA	GGG	EEE
	MMM MMM	AAA AAA		N AAA AAA	GGG	EEE
	MMM MMM	AAA AAA		NN AAA AAA	GGG	EEE
MMM	MMM	AAA AAA		NN AAA AAA	GGG	EEEEEEEEEE
MMM	MMM	AAA AAA		N AAA AAA	GGG	EEEEEEEEEE
MMM	MMM	AAA AAA		NA AAA AAA	GGG	EEEEEEEEEE
MMM	MMM	AAAAAAAAAAAA	NNN NNNN		GGG GGGGGGGG	EEE
MMM	MMM	AAAAAAAAAAAA	NNN NNNN			555
MMM	MMM	AAAAAAAAAAAA			GGG GGGGGGG	EEE
			NNN NNNN		egg eggegege	EEE
MMM	MMM	AAA AAA		N AAA AAA	GGG GGG	EEE
MMM	MMM	AAA AAA		NN AAA AAA	GGG GGG	EEE
MMM	MMM	AAA AAA		NN AAA AAA	GGG GGG	EEE
MMM	MMM	AAA AAA	NNN N	NN AAA AAA	GGGGGGGG	EEEEEEEEEEEEE
MMM	MMM	AAA AAA	NNN N	NN AAA AAA	GGGGGGGG	EEEEEEEEEEEE
MMM	MMM	AAA AAA		NN AAA AAA	GGGGGGGG	EEEEEEEEEEEE

VV VV VV VV VV VV VV VV VV VV VV VV VV VV VV VV VV VV VV VV	MM MM MMM MMM MMMM MMMM MM MM MM MM MM MM	\$	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP	DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	
		\$				

Th

If na al

3.

3. Th

```
Modified by:
                      BLS0320 Benn Schreiber 18-MAY-1986
Do not use /PROCESS=UNIQUE, since there may not be
                                                                             18-MAY-1984
                       enough dynamic memory for the cache.
                                            Benn Schreiber
                                                                             11-APR-1984
                       Do not allow use on tailored or cluster multi-system disk
                       configurations, as it will only fail.
                                             Maria del C. Nasr
                                                                             20-0ct-1983
                       Comment out check for console device because it is no
                       longer needed, plus it will not work in a cluster
                       environment.
   ON CONTROL Y THEN GOTO DONE
   DELETE/SYMBOL/GLOBAL/ALL
SAY = 'WRITE SYSSOUTPUT'
   SET PROT=(S:RWED,G:RWED,O:RWED,W:RE)/DEFAULT
SYSDISK = F$LOGICAL(''SYS$DISK'')
    SAVE_DEFULT = F$ENVIRONMENT('DEFAULT')
   DEFUIC:='F$USER()
   DEFINE DXA1 CSA1:
   DEFINE DX1 CSA1:
   DEFINE SYSSKIT CSA1:
   DEFINE VMS$STARLET SYS$DISK:[SYSLIB]
DEFINE VMS$HELPLIB SYS$DISK:[SYSHLP]
CPU_TYPE = F$GETSYI("CPU")
EXIT_MESSAGE = "Update sequence abnormally terminated."
S SET NOON
S SAY
S SAY
S SAY
                                   VMS Update Procedure"
   SAY " "
   SAY "This command procedure performs VAX/VMS software updates and"
  SAY "optional software installations for VAX/VMS Release 4."
SAY "During this sequence, the standard console medium will not"
SAY "be present in the console drive. Therefore, the system may"
SAY "be vulnerable to a power failure or other fatal crash. If a"
$ SAY "system crash should occur during this period the update"
$ SAY "sequence can be restarted at the beginning of the first"
$ SAY "incomplete update."
$ SAY "Dismount the current console medium."
   IF F$GETSYI("TAILORED") THEN COTO BAD_CONFIGURATION
$ IF F$SEARCH("SYS$SPECIFIC: [000000]SYSTOMMON.DIR") .NES. "" -
                                 THEN GOTO BAD_CONFIGURATION
 $CONNECT CONSOLE:
$ RUN SYS$SYSTEM: SYSGEN
 CONNECT CONSOLE
$ IF F$GETDVI("CSA1:","MNT") THEN DISMOUNT CSA1:
$ SAY "Please place the first volume in the console drive"
   INQUIRE READY "Are you ready to continue?"
    IF .NOT. READY THEN GOTO 20
   GOTO 30
$ 25:
$ SAY ""
$ SAY "Please place the next volume in the console drive"
```

3. Th

CC

```
B 15
$ SAY " "
   INQUIRE READY "Are you ready to continue?"
IF .NOT. READY THEN GOTO 25
   SET UIC [001,004]
SET DEFAULT SYS$DISK:[SYSUPD]
MOUNT/NOWRITE/OVER=ID CSA1:
   IF .NOT. $STATUS THEN GOTO DONE
IF .NOT. F$GETDVI("CSA1", "MNT") THEN GOTO LBL_ERROR
FILE := 'F$GETDVI("CSA1", "VOLNAM") '. COM
   GOTO EXECUTE_PROCEDURE
   LBL_ERROR:
   SAY "Unable to determine volume label"
   GOTO DONE
   EXECUTE_PROCEDURE:
   COPY CSA1: FILE SYSSDISK:
   a'FILE
   SET DEFAULT 'SYSDISK'[SYSUPD]
   DELETE 'FILE:*
SDISMOUNT_KIT:
  DISMOUNT CSA1:
   INQUIRE READY "Are there more kits to process?"
   IF READY THEN GOTO 25
EXIT_MESSAGE = "Requested update sequence is complete."
$DONE:
S ON CONTROL Y THEN GOTO CLEAN_UP
$ SET NOON
   IF .NOT. F$GETDVI("CSA1:", "EXISTS") THEN GOTO CLEAN_UP IF F$GETDVI("CSA1:", "MNT") THEN DISMOUNT CSA1:
  IF CPU TYPE .EQ. 3 THEN GOTO 730_CONSOLE
  SAY "Please place the system console medium in the console drive."
   INQUIRE READY "Are you ready to continue?"
   IF READY THEN -
             MOUNT/FOREIGN/SYSTEM/PROTECTION=S:RWLP/NOWRITE/NOASSIST CSA1: CONSOLE
   GOTO CLEAN_UP
$730_CONSOLE:
$ IF .NOT. F$GETDVI("CSA2:", "MNT") THEN -
            MOUNT/FOREIGN/SYSTEM/PROTECTION=S:RWLP/NOWRITE/NOASSIST CSA2: CONSOLE
SCLEAN UP:
   IF F$TRNLNM (''SYS$KIT'') .NES. '"' THEN DEASSIGN SYS$KIT

IF F$TRNLNM (''DX1'') .NES. '"' THEN DEASSIGN DX1

IF F$TRNLNM (''DXA1'') .NES. '"' THEN DEASSIGN DXA1

IF F$TRNLNM (''VMS$STARLET'') .NES. '"' THEN DEASSIGN VMS$STARLET

IF F$TRNLNM (''VMS$HELPLIB'') .NES. '"' THEN DEASSIGN VMS$HELPLIB

IF ''''DEFUIC''' .NES. '"' THEN SET UIC 'DEFUIC'

IF ''''SAVE DEFAULT''' .NES. '"' THEN SET DEFAULT 'SAVE_DEFAULT
S IF FSTRNLNM
   SAY EXIT_MESSAGE
   SET ON
   EXIT
$BAD_CONFIGURATION:
```

3. Th ha th Wa st

ha

3. As pr th

OF

in

3. Us \$ SAY '"'
\$ SAY 'This product may not be installed on this software configuration."
\$ SAY 'Consult your local Digital office for assistance."
\$ SAY '"'
\$ GOTO CLEAN_UP

Th

Th mo mo

In so re

If ex be

0232 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

